

Initiation au logiciel

"Matlab"

| | | |
|-----------|---|-----------|
| 1. | L'AIDE EN LIGNE. | 4 |
| 2. | TABLEAUX ET MATRICES. | 4 |
| 2.1 | Définir une matrice. | 4 |
| 2.2 | Addition et multiplication matricielles. | 4 |
| 2.3 | Inversion d'une matrice. | 4 |
| 2.4 | Opérations élément par élément. | 5 |
| 2.5 | Fonctions utiles pour la manipulation des matrices. | 5 |
| 3. | PROGRAMMATION ET M-FILE FUNCTIONS. | 5 |
| 3.1 | Boucles for. | 5 |
| 3.2 | Boucles while. | 5 |
| 3.3 | Structure if else end. | 5 |
| 3.4 | Les fonctions. | 6 |
| 4. | ANALYSE DE DONNEES. | 6 |
| 5. | LES POLYNOMES. | 6 |
| 5.1 | Racines d'un polynôme. | 6 |
| 5.2 | Addition. | 6 |
| 5.3 | Multiplication. | 6 |
| 5.4 | Division. | 6 |
| 5.5 | Dérivation. | 6 |
| 5.6 | Evaluation. | 6 |
| 6. | ANALYSE NUMERIQUE. | 7 |
| 6.1 | Tracé graphique. | 7 |
| 6.2 | Minimum d'une fonction. | 7 |
| 6.3 | Zéro d'une fonction. | 7 |
| 6.4 | Intégration. | 7 |
| 6.5 | Dérivation. | 8 |
| 6.6 | Equations différentielles. | 8 |
| 7. | LE GRAPHISME A DEUX DIMENSIONS. | 9 |
| 7.1 | La fonction plot. | 9 |
| 7.2 | Les commandes grid, xlabel, ylabel et text. | 9 |
| 7.3 | La commande axis. | 9 |
| 7.4 | Les commandes figure, hold, close. | 9 |
| 8. | EXERCICES D'APPLICATION. | 10 |
| 9. | AIDE MATLAB 4 | 12 |
| 9.1 | OPERATORS AND SPECIAL CHARACTERS. | 12 |
| 9.2 | LOGICAL CHARACTERISTICS. | 12 |
| 9.3 | ELEMENTARY MATH FUNCTIONS. | 12 |
| 9.3.1 | Trigonometric. | 12 |
| 9.3.2 | Exponential. | 13 |
| 9.3.3 | Complex. | 13 |
| 9.3.4 | Numeric. | 13 |
| 9.4 | NONLINEAR NUMERICAL METHODS. | 13 |
| 9.5 | ELEMENTARY MATRICES AND MATRIX MANIPULATION. | 13 |
| 9.5.1 | Elementary matrices. | 13 |
| 9.5.2 | Special variables and constants. | 13 |
| 9.5.3 | Time and dates. | 14 |
| 9.5.4 | Matrix manipulation. | 14 |

Aide Matlab

| | | |
|--------|---|----|
| 9.6 | SPECIALIZED MATRICES | 14 |
| 9.7 | GENERAL PURPOSE GRAPHICS FUNCTIONS..... | 14 |
| 9.7.1 | Figure window creation and control. | 14 |
| 9.7.2 | Axis creation and control. | 14 |
| 9.7.3 | Handle Graphics objects. | 15 |
| 9.7.4 | Handle Graphics operations. | 15 |
| 9.7.5 | Hardcopy and storage. | 15 |
| 9.7.6 | Movies and animation. | 15 |
| 9.7.7 | Miscellaneous. | 15 |
| 9.8 | TWO DIMENSIONAL GRAPHICS..... | 15 |
| 9.8.1 | Elementary X-Y graphs. | 15 |
| 9.8.2 | Specialized X-Y graphs. | 15 |
| 9.8.3 | Graph annotation. | 16 |
| 9.9 | THREE DIMENSIONAL GRAPHICS..... | 16 |
| 9.9.1 | Line and area fill commands. | 16 |
| 9.9.2 | Contour and other 2-D plots of 3-D data. | 16 |
| 9.9.3 | Surface and mesh plots. | 16 |
| 9.9.4 | Volume visualization. | 16 |
| 9.9.5 | Graph appearance. | 16 |
| 9.9.6 | Graph annotation. | 16 |
| 9.9.7 | 3-D objects. | 17 |
| 9.10 | MATRIX FUNCTIONS NUMERICAL LINEAR ALGEBRA..... | 17 |
| 9.10.1 | Matrix analysis. | 17 |
| 9.10.2 | Linear equations. | 17 |
| 9.10.3 | Eigenvalues and singular values. | 17 |
| 9.10.4 | Matrix functions. | 17 |
| 9.11 | POLYNOMIAL AND INTERPOLATION FUNCTIONS..... | 17 |
| 9.11.1 | Polynomials. | 17 |
| 9.11.2 | Data interpolation. | 18 |
| 9.11.3 | Spline interpolation. | 18 |
| 9.12 | DATA ANALYSIS AND FOURIER TRANSFORM FUNCTIONS. | 18 |
| 9.12.1 | Basic operations. | 18 |
| 9.12.2 | Finite differences. | 18 |
| 9.12.3 | Vector operations. | 18 |
| 9.12.4 | Correlation. | 18 |
| 9.12.5 | Filtering and convolution. | 18 |
| 9.12.6 | Fourier transforms. | 18 |
| 9.13 | SOUND PROCESSING FUNCTIONS. | 19 |
| 9.14 | CHARACTER STRING FUNCTIONS..... | 19 |
| 9.14.1 | General. | 19 |
| 9.14.2 | String comparison. | 19 |
| 9.14.3 | String to number conversion. | 19 |
| 9.14.4 | Hexadecimal to number conversion. | 19 |
| 9.15 | SPECIALIZED MATH FUNCTIONS. | 19 |
| 9.16 | SPARSE MATRIX FUNCTIONS..... | 20 |
| 9.16.1 | Elementary sparse matrices. | 20 |
| 9.16.2 | Full to sparse conversion. | 20 |
| 9.16.3 | Working with nonzero entries of sparse matrices. | 20 |
| 9.16.4 | Visualizing sparse matrices. | 20 |
| 9.16.5 | Reordering algorithms. | 20 |
| 9.16.6 | Norm, condition number, and rank. | 20 |
| 9.16.7 | Operations on trees. | 20 |
| 9.16.8 | Miscellaneous. | 21 |
| 9.17 | LANGUAGE CONSTRUCTS AND DEBUGGING. | 21 |
| 9.17.1 | Matlab as a programming language. | 21 |
| 9.17.2 | Control flow. | 21 |
| 9.17.3 | Interactive input. | 21 |
| 9.17.4 | Debugging commands. | 21 |
| 9.18 | COLOR CONTROL AND LIGHTING MODEL FUNCTIONS. | 21 |
| 9.18.1 | Color controls. | 21 |
| 9.18.2 | Color maps. | 21 |
| 9.18.3 | Color map related functions. | 22 |

Aide Matlab

| | | |
|--------|--|----|
| 9.18.4 | Lighting models. | 22 |
| 9.19 | LOW-LEVEL FILE I/O FUNCTIONS. | 22 |
| 9.19.1 | File opening and closing. | 22 |
| 9.19.2 | Unformatted I/O. | 22 |
| 9.19.3 | Formatted I/O. | 22 |
| 9.19.4 | File positioning. | 22 |
| 9.19.5 | String conversion. | 22 |
| 9.19.6 | File Import/Export Routines. | 22 |
| 9.19.7 | WK1 Format. | 22 |
| 9.19.8 | CSV Format. | 22 |
| 9.19.9 | ASCII Delimited Format. | 23 |
| 9.20 | GENERAL PURPOSE COMMANDS. | 23 |
| 9.20.1 | Managing commands and functions. | 23 |
| 9.20.2 | Managing variables and the workspace. | 23 |
| 9.20.3 | Working with files and the operating system. | 23 |
| 9.20.4 | Controlling the command window. | 23 |
| 9.20.5 | Starting and quitting from Matlab. | 23 |
| 9.20.6 | General information. | 23 |

Aide Matlab

Le logiciel Matlab est ouvert dans la fenêtre de commande Matlab **Mcw** (Matlab command window).

1. L'AIDE EN LIGNE.

On obtient les informations sur une fonction (contenue dans Matlab ou dans un des toolbox) en tapant **help** suivi du nom de cette fonction.

On peut aussi utiliser un mot clé avec la fonction **lookfor**, le mot clé n'étant pas nécessairement le nom d'une fonction de Matlab.

exemples : help diag, help clear, lookfor complex...

2. TABLEAUX ET MATRICES.

2.1 Définir une matrice.

$A = [1 \ 2 \ 3 \ 4]$ définit la **matrice ligne** comportant les 4 éléments 1, 2, 3 et 4.

$A = [1,2,3,4]$ donne le même résultat.

$C = ['a' 'b' 'c']$ définit la **matrice ligne** comportant les caractères a, b et c.

$B = [1;2;3;4]$ définit la **matrice colonne** comportant les mêmes valeurs que A. Si on remarque que B est la transposée de A, on peut aussi écrire $B = A'$ l'apostrophe à droite signifiant la **transposition**.

$C = [1 \ 2 \ 3;4 \ 5 \ 6;7 \ 8 \ 9]$ définit la **matrice carrée** 3x3, dont la première ligne est 1 2 3, la seconde ligne 4 5 6, etc... On obtient sa **transposée** en écrivant C' .

$C(i,:)$ est sa **i^{ème} ligne** et $C(:,j)$ est sa **j^{ème} colonne**.

$x = 0:0.5:10$ définit un vecteur ligne en partant du premier élément 0 et en incrémentant de 0.5 en 0.5 jusqu'au dernier élément 10. x' est alors un vecteur colonne.

linspace(1^{ère} valeur , dernière valeur , nb d'éléments) permet d'obtenir le même résultat en écrivant $\text{linspace}(0, 10, 21)$.

L'utilisation de **logspace()** permet d'avoir un espacement logarithmique des valeurs.

Matlab permet de créer des matrices particulières. Voir **zeros**, **ones**, **rand**, **eye**.

2.2 Addition et multiplication matricielles.

On peut additionner ou multiplier des matrices de même type comme on le ferait avec des nombres.

$B = C*D$ multiplie C par D, et le résultat est évidemment différent de $D*C$.

$B = C+D$ additionne les deux matrices.

Le résultat du produit $A*B$ (ligne*colonne) est un scalaire, alors que le produit $B*A$ (colonne*ligne) donne une matrice.

2.3 Inversion d'une matrice.

Soit la matrice carrée A dont on veut calculer l'inverse A^{-1} .

$A = [10 \ 10 \ 0; \ 0 \ 10 \ 10; \ 10 \ 19.9 \ 10]$

$A^{-1} = \text{inv}(A)$ calcule A^{-1} , inverse de A si celle-ci n'est pas singulière.

On le vérifiera en calculant $D = A*A^{-1}$ qui donne la matrice unité.

Si le déterminant $\det(A)$ est nul (matrice singulière), Matlab envoie un message d'erreur.

Remplacer dans A ci-dessus 19.9 par 20 et essayer de calculer l'inverse.

Il est évident que A est singulière dans ce cas, pourquoi?

$X = A\B$ calcule $X = A^{-1}.B$, solution de $AX=B$.

$X = A/B$ calcule $A.B^{-1}$.

Aide Matlab

2.4 Opérations élément par élément.

Il est possible de faire le produit de deux tableaux **a** et **b** élément par élément, c'est à dire d'obtenir le tableau **c** tel que $c(i) = a(i) * b(i)$ en écrivant **c = a .* b**

$y = a.^n$ donnera **y** qui contiendra les éléments de **a** à la puissance **n**.

Pour la division élémentaire, essayer **a./b** et **a.\b**.

Pour la somme, quelles sont vos conclusions?

2.5 Fonctions utiles pour la manipulation des matrices.

Utiliser **help** pour voir **size**, **length**, **poly**, **rank**.

3. PROGRAMMATION ET M-FILE FUNCTIONS.

Matlab est aussi un langage de programmation qui dispose de structures **de boucles for ou while** ainsi

que de la **structure if elseif else end**. Un exemple est donné ci-dessous pour chaque cas.

Noter que le point-virgule permet de gérer l'affichage ou le non affichage des valeurs manipulées.

3.1 Boucles for.

```
for i=1:2:10  
x(i)=i*i  
end
```

3.2 Boucles while.

```
i=0;x=1;  
while(1+x)>1  
x=x/2;  
i=i+1;  
end  
i  
x=2*x  
x-eps
```

Essayez de comprendre ce que représente **eps**.

3.3 Structure if else end.

```
x=1;  
for i= 1:1000 x=x/2;  
if (1+x)<=1 x=2*x  
break  
end  
end  
i  
x-eps
```

Conclusion?

Aide Matlab

3.4 Les fonctions.

Matlab fournit de nombreuses fonctions et permet à l'utilisateur d'écrire les fonctions spécifiques dont il a besoin, à condition de respecter la syntaxe. Par exemple la fonction **truc(t,a)** contenue dans le fichier **truc.m** ci-dessous

```
function y = truc(t,a); %function doit toujours être écrit en première ligne  
y = 2*t.^2 + a;
```

est utilisée par le programme xf.m ci-dessous.

```
t = linspace(0,10,6);  
a = 1.5;  
z = feval('truc',t,a);  
plot(t,z,'r');pause;plot(t,z,'y+');pause;plot(t,z,'r',t,z,'b+');
```

Certaines fonctions de Matlab ne sont pas prévues pour le passage de paramètres. On utilise dans ce cas une variable globale. Voir **global**.

4. ANALYSE DE DONNEES.

Les **données** seront par convention stockées sous forme de **matrice colonne**.

max(x) renvoie le maximum de chaque colonne du tableau x.

min(x) renvoie le minimum de chaque colonne du tableau x.

mean(x) donne la valeur moyenne de chaque colonne du tableau x.

Voir aussi **hist, sort....**

5. LES POLYNOMES.

Matlab représente un polynôme comme un **vecteur ligne** qui contient les coefficients des termes rangés selon les puissances décroissantes.

$p = [1 -12 0 5 0]$ représente $x^4 - 12x^3 + 5x$.

5.1 Racines d'un polynôme.

r=roots(p) fournit les racines du polynôme donné ci-dessus.

p=poly(r) est l'opération inverse qui redonne les coefficients rangés selon les puissances décroissantes.

5.2 Addition.

On additionne les polynômes a et b en écrivant **d = a+b** s'ils sont de même degré. Sinon il faut compléter celui qui a le degré le plus faible avec des zéros.

5.3 Multiplication.

La fonction **conv(a,b)** réalise le produit des polynômes a et b. On renvoie le résultat dans c en écrivant **c = conv(a,b)**. Ce produit est obtenu par convolution des vecteurs a et b.

5.4 Division.

La fonction **deconv()** permet la division.

$[q,r] = \text{deconv}(c,b)$ divise c par b. q est le quotient et r le reste.

5.5 Dérivation.

La fonction **polyder()** fournit la dérivée d'un polynôme.

$h = \text{polyder}(g)$ donne h dérivée de g.

5.6 Evaluation.

La valeur prise par le polynôme pour une valeur de la variable est fournie par la fonction **polyval()**

Aide Matlab

exemple : $x = \text{linspace}(-1,3,5);$
 $p = [1 \ 4 \ -7 \ -10];$
 $v=\text{polyval}(p,x)$, pause, plot(x,v)

Que fait ce programme?

6. ANALYSE NUMERIQUE.

Il n'est pas toujours possible de déterminer analytiquement les extréma d'une fonction, de l'intégrer ou de la dériver, etc...Matlab propose un certain nombre de fonctions qui peuvent résoudre numériquement ces problèmes.

6.1 Tracé graphique.

On utilise la fonction **fplot** qui assure une représentation plus fine que **plot** qui sera vue plus loin.

ex: $g = '2*\exp(-x).*\sin(x)';$
 fplot(g,[0 8])

6.2 Minimum d'une fonction.

On utilise la fonction **fmin**. Si on cherche un maximum, on utilise aussi fmin sur la fonction changée de signe.

ex: $g = '2*\exp(-x).*\sin(x)';$
 $\text{xmin} = \text{fmin}(g,2,5)$ % on cherche sur $2 < x < 5$
 $x = \text{xmin};$
 $ymin = \text{eval}(g)$ % calcule g pour $x = \text{xmin}$

6.3 Zéro d'une fonction.

On utilise la fonction **fzero** qui renvoie la valeur de x qui annule la fonction g que l'on aura préalablement définie dans un fichier g.m contenant :

```
function y=g(x);      % function doit toujours être écrit en première ligne  
y=2*exp(-x).*sin(x)
```

Ensuite, taper dans la fenêtre MCW:

```
xz = fzero('g',3.2)      % cherche au voisinage de 3.2 et renvoie dans xz
```

6.4 Intégration.

Les fonctions **trapz**, **quad** et **quad8** calculent l'aire comprise entre la courbe et l'axe horizontal.

Définir le fichier g1.m :

```
function y=g1(x);  
y=x.*x;
```

puis écrire le programme:

```
clear all  
x=0:0.1:1;  
y=g1(x);  
aire1=trapz(x,y)  
aire2=quad('g1',0,1)
```

Aide Matlab

6.5 Dérivation.

On évitera autant que possible la fonction **diff** qui dérive en faisant la différence entre éléments voisins dans le tableau des valeurs expérimentales, toujours faussées par le bruit.

Il est plus astucieux de remplacer la courbe par une bonne approximation polynomiale avec **polyfit** et de dériver celle-ci avec **polyder**.

6.6 Equations différentielles.

De nombreux systèmes physiques sont décrits par des équations différentielles, linéaires ou non. Pour intégrer une équation différentielle d'ordre n, on se ramène à un système de n équations du premier ordre, ce qui permettra d'utiliser les fonctions **ode23** ou **ode45** (ordinary differential equations) qui fourniront la solution cherchée.

Exemple : on veut résoudre l'équation de Van der Pol $d^2x/dt^2 - m(1-x^2)dx/dt + x = 0$.

Elle représente un système du second degré dont l'amortissement est non linéaire.

On pose $y_1 = x$ et $y_2 = dx/dt$, d'où le système équivalent: $dy_1/dt = y_2$
 $dy_2/dt = m(1-y_1^2)y_2 - y_1$

Pour $m = 2$, on programme :

```
function yprime =vdpol(t,y);
m = 2;
yprime = [y(2); m*(1-y(1).^2)*y(2) - y(1)];
```

On remarque que $yprime$ est un vecteur colonne à deux éléments qui décrit complètement l'équation différentielle.

Le programme suivant calcule la solution :

```
[t,y] = ode23('vdpol',[0,30],[0;0.01]); %utiliser help pour les arguments
y1 = y(:,1) % y(:,n) récupère la nème colonne de y, donc x
plot(t,y1) % trace x en fonction du temps
```

Aide Matlab

7. LE GRAPHISME A DEUX DIMENSIONS.

Matlab propose de nombreuses fonctions graphiques. Nous donnons ici les plus utilisées avec un minimum d'explications. Utilisez **help** pour en savoir plus.

7.1 La fonction plot.

plot permet de tracer une ou plusieurs courbes sur le même graphe, en choisissant le style du trait et sa couleur et en marquant les points du tableau des valeurs si on le désire.

ex :

```
x = linspace(0,2*pi,30);
y = sin(x); z = cos(x);
plot(x,y,'g:',x,z,'r--',x,y,'mo',x,z,'c+');
```

7.2 Les commandes grid, xlabel, ylabel et text.

grid on met la grille sur le graphe tracé par **plot**. **grid off** efface la grille.

xlabel et **ylabel** écrivent du texte le long de l'axe correspondant.

text(x,y,'string') écrit la chaîne de caractères string aux coordonnées x,y du graphe.

gtext('string') donne un curseur qu'on amène à l'endroit où on désire placer le texte. Celui ci s'écrit quand on clique la souris.

7.3 La commande axis.

axis([xmin,xmax,ymin,ymax]) impose les échelles en x et y.

axis('square') présente le graphe dans un carré au lieu du rectangle habituel.

7.4 Les commandes figure, hold, close....

La commande **figure** est très riche en possibilités. Elle permet de créer une figure. La commande **set** permet d'agir sur tous les paramètres. Voici un exemple d'utilisation :

```
t=linspace(0,10,100)
close
figure(1);
set(1,'position',[0 0 300 300]);
plot(t,sin(t),'y');grid;
title('commande');
figure(2);
set(2,'position',[320 0 300 300]);
plot(t,(sin(t)).^2,'c');grid;
title('sortie processus');
```

hold on permet de tracer plusieurs courbes sur la figure courante, jusqu'à la commande **hold off** qui permettra de changer.

close(n) permet de fermer la fenêtre graphique n.

Aide Matlab

8. EXERCICES D'APPLICATION.

Pour chaque exercice, on écrira un programme **Matlab** intitulé x0_i.m pour l'exercice i et on utilisera **help** autant que nécessaire.

Exercice 1 (fichier x0_1.m)

Résoudre avec **Matlab** le système :
$$\begin{aligned}x + y + z &= 2 \\2x + y + z &= 0 \\7x - 5y - z &= -6\end{aligned}$$

Exercice 2 (fichier x0_2.m)

Résoudre graphiquement le système
$$\begin{aligned}y &= 2x - 4 \\y &= -x + 5\end{aligned}$$

On utilisera **ginput(...)**.

Exercice 3 (fichier x0_3.m)

Résoudre $x \exp(-x^2) = 0.1/x^2$ en utilisant la méthode de l'exercice 2. Combien y a-t-il de solutions?

Exercice 4 (fichiers x0_4.m et f0_4.m)

Ecrire le fichier f0_4.m qui crée la **fonction** $y = f0_4(x) = x \exp(-x^2) - 0.1/x^2$

Ecrire x0_4.m qui trace le graphe de f0_4(x) et donne les valeurs de x pour lesquelles f0_4(x) = 0.
voir **eval** (ou **feval**) et **fzero**.

Exercice 5 (fichier x0_5.m)

On donne les polynômes

$$\begin{aligned}p1 &= x^3 - 2x^2 - x + 2 \\p2 &= -x^2 + 4x - 2 \\p3 &= x^2 - 1\end{aligned}$$

Utiliser Matlab pour :

- Calculer leurs dérivées respectives dp1, dp2, dp3.
- Calculer le produit p12 = p1*p2.
- Calculer dp = p1 - p2 et en déduire les solutions de p1 = p2.
- Diviser p1 par p3.
- Calculer la valeur de p1 pour x = 0, 1, 2 et 3.
- Vérifier graphiquement les solutions trouvées au c/ et e/
voir **polyder**, **conv**, **roots**, **deconv**, **polyval**.

Aide Matlab

Exercice 6 (fichiers x0_6.m et f0_6.m)

On considère la fonction $y = 1 - \exp(-z \cdot w \cdot t) \cdot ((z/m) \cdot \sin(w_p \cdot t) + \cos(w_p \cdot t))$
avec $m = (1-z^2)^{1/2}$ et $w_p = m \cdot w$ pour $w = 6.28$ rad/s.

Ecrire le fichier f0_6.m qui contiendra la fonction f0_6(t,z). Ecrire ensuite x0_6.m utilisant f0_6 pour représenter **sur le même graphique** les courbes représentatives de cette fonction pour les valeurs de z suivantes : 0.1, 0.3, 0.45 et 0.8 pour t variant de 0 à 5s. Indiquer la valeur de z à côté de chaque courbe, prendre **une couleur différente pour chaque courbe** et mettre comme titre « Réponse indicielle d'un second ordre ».

voir **figure, hold on, hold off, feval, num2str, xlabel, ylabel, title, gtext, grid**.

Exercice 7 (fichier x0_7.m)

Modifier le programme précédent afin de pouvoir rentrer au clavier les valeurs de z. voir **input**.

Exercice 8 (fichier x0_8.m)

Modifier le programme de l'exercice 6 pour mesurer le temps de réponse à 5% de chaque courbe, temps à partir duquel la valeur de y sera toujours comprise entre 0.95 et 1.05.

voir **ginput**.

Exercice 9 (fichiers x0_9.m et f0_9.m)

On considère le système décrit par l'équation différentielle suivante, x étant la sortie et u l'entrée du système

$$\frac{d^2x}{dt^2} + 2z w \frac{dx}{dt} + w^2 x = w^2 u(t)$$

On considère le cas où u(t) est constante et égale à 1 et où $w=6.28$ rad/s.

Ecrire la fonction yprime = f0_9(t,y) qui décrit l'équation ci-dessus puis écrire x0_9.m qui intègre l'équation avec ode23 et donne une représentation graphique de la solution.

Modifier ensuite ce programme pour tracer sur le même graphe les solutions correspondant à $z = 0.25, 0.50, 0.75$ et 1 avec une couleur différente pour chaque courbe.

voir **global, ode23**.

Exercice 10 (fichier x0_10.m)

On considère l'équation différentielle du 3^{ème} ordre suivante, qui décrit la sortie x d'un système attaqué en entrée par le signal $\sin wt$.

$$\frac{d^3x}{dt^3} + 4\frac{d^2x}{dt^2} + 5\frac{dx}{dt} + 2x = \sin wt$$

Résoudre cette équation avec ode23 et représenter sur le même graphe la sortie du système pour $w = 3.14, 6.28$ et 12.57 rad/s (une couleur différente pour chaque courbe), avec des conditions initiales nulles, puis avec $x(0) = 0, x'(0) = -1$ et $x''(0) = 0$.

Aide Matlab

9. AIDE MATLAB 5.3

9.1 OPERATORS AND SPECIAL CHARACTERS.

| | | <u>Help</u> |
|------|----------------------------|-------------|
| + | Plus | arith |
| - | Minus | arith |
| * | Matrix multiplication | arith |
| .* | Array multiplication | arith |
| .^ | Matrix power | arith |
| .^ | Array power | arith |
| \ | Backslash or left division | slash |
| / | Slash or right division | slash |
| ./ | Array division | slash |
| kron | Kronecker tensor product | kron |
| : | Colon | colon |
| () | Parentheses | paren |
| [] | Brackets | paren |
| . | Decimal point | punct |
| .. | Parent directory | punct |
| ... | Continuation | punct |
| , | Comma | punct |
| ; | Semicolon | punct |
| % | Comment | punct |
| ! | Exclamation point | punct |
| ' | Transpose and quote | punct |
| = | Assignment | punct |
| == | Equality | relop |
| <> | Relational operators | relop |
| & | Logical AND | relop |
| | Logical OR | relop |
| ~ | Logical NOT | relop |
| xor | Logical EXCLUSIVE OR | xor |

9.2 LOGICAL CHARACTERISTICS.

| | |
|----------|--|
| exist | Check if variables or functions are defined. |
| any | True if any element of vector is true. |
| all | True if all elements of vector are true. |
| find | Find indices of non-zero elements. |
| isnan | True for Not-A-Number. |
| isinf | True for infinite elements. |
| finite | True for finite elements. |
| isempty | True for empty matrix. |
| issparse | True for sparse matrix. |
| isstr | True for text string. |
| isglobal | True for global variables. |

9.3 ELEMENTARY MATH FUNCTIONS.

9.3.1 Trigonometric.

| | |
|-------|----------------------------|
| sin | Sine. |
| sinh | Hyperbolic sine. |
| asin | Inverse sine. |
| asinh | Inverse hyperbolic sine. |
| cos | Cosine. |
| cosh | Hyperbolic cosine. |
| acos | Inverse cosine. |
| acosh | Inverse hyperbolic cosine. |
| tan | Tangent. |
| tanh | Hyperbolic tangent. |
| atan | Inverse tangent. |

Aide Matlab

| | |
|-------|--------------------------------|
| atan2 | Four quadrant inverse tangent. |
| atanh | Inverse hyperbolic tangent. |
| sec | Secant. |
| sech | Hyperbolic secant. |
| asec | Inverse secant. |
| asech | Inverse hyperbolic secant. |
| csc | Cosecant. |
| csch | Hyperbolic cosecant. |
| acsc | Inverse cosecant. |
| acsch | Inverse hyperbolic cosecant. |
| cot | Cotangent. |
| coth | Hyperbolic cotangent. |
| acot | Inverse cotangent. |
| acoth | Inverse hyperbolic cotangent. |

9.3.2 Exponential.

| | |
|-------|--------------------|
| exp | Exponential. |
| log | Natural logarithm. |
| log10 | Common logarithm. |
| sqrt | Square root. |

9.3.3 Complex.

| | |
|-------|-------------------------|
| abs | Absolute value. |
| angle | Phase angle. |
| conj | Complex conjugate. |
| imag | Complex imaginary part. |
| real | Complex real part. |

9.3.4 Numeric.

| | |
|-------|--------------------------------|
| fix | Round towards zero. |
| floor | Round towards minus infinity. |
| ceil | Round towards plus infinity. |
| round | Round towards nearest integer. |
| rem | Remainder after division. |
| sign | Signum function. |

9.4 NONLINEAR NUMERICAL METHODS.

| | |
|--------|---|
| ode23 | Solve differential equations, low order method. |
| ode23p | Solve and plot solutions. |
| ode45 | Solve differential equations, high order method. |
| quad | Numerically evaluate integral, low order method. |
| quad8 | Numerically evaluate integral, high order method. |
| fmin | Minimize function of one variable. |
| fmins | Minimize function of several variables. |
| fzero | Find zero of function of one variable. |
| fplot | Plot function. |

See also The Optimization Toolbox, which has a comprehensive and function functions for optimizing and minimizing functions.

9.5 ELEMENTARY MATRICES AND MATRIX MANIPULATION.

9.5.1 Elementary matrices.

| | |
|----------|---------------------------------------|
| zeros | Zeros matrix. |
| ones | Ones matrix. |
| eye | Identity matrix. |
| rand | Uniformly distributed random numbers. |
| randn | Normally distributed random numbers. |
| linspace | Linearly spaced vector. |
| logspace | Logarithmically spaced vector. |
| meshgrid | X and Y arrays for 3-D plots. |
| : | Regularly spaced vector. |

9.5.2 Special variables and constants.

| | |
|-----|---------------------|
| ans | Most recent answer. |
|-----|---------------------|

Aide Matlab

| | |
|-----------|--|
| eps | Floating point relative accuracy. |
| realmax | Largest floating point number. |
| realmin | Smallest positive floating point number. |
| pi | 3.1415926535897.... |
| i, j | Imaginary unit. |
| inf | Infinity. |
| NaN | Not-a-Number. |
| flops | Count of floating point operations. |
| nargin | Number of function input arguments. |
| nargout | Number of function output arguments. |
| computer | Computer type. |
| isieee | True for computers with IEEE arithmetic. |
| isstudent | True for the Student Edition. |
| why | Succinct answer. |
| version | MATLAB version number. |

9.5.3 Time and dates.

| | |
|----------|----------------------------|
| clock | Wall clock. |
| cputime | Elapsed CPU time. |
| date | Calendar. |
| etime | Elapsed time function. |
| tic, toc | Stopwatch timer functions. |

9.5.4 Matrix manipulation.

| | |
|---------|--|
| diag | Create or extract diagonals. |
| fliplr | Flip matrix in the left/right direction. |
| flipud | Flip matrix in the up/down direction. |
| reshape | Change size. |
| rot90 | Rotate matrix 90 degrees. |
| tril | Extract lower triangular part. |
| triu | Extract upper triangular part. |
| : | Index into matrix, rearrange matrix. |

9.6 SPECIALIZED MATRICES.

| | |
|-----------|--|
| compan | Companion matrix. |
| gallery | Several small test matrices. |
| hadamard | Hadamard matrix. |
| hankel | Hankel matrix. |
| hilb | Hilbert matrix. |
| invhilb | Inverse Hilbert matrix. |
| kron | Kronecker tensor product. |
| magic | Magic square. |
| pascal | Pascal matrix. |
| rosser | Classic symmetric eigenvalue test problem. |
| toeplitz | Toeplitz matrix. |
| vander | Vandermonde matrix. |
| wilkinson | Wilkinson's eigenvalue test matrix. |

9.7 GENERAL PURPOSE GRAPHICS FUNCTIONS.

9.7.1 Figure window creation and control.

| | |
|--------|-------------------------------|
| figure | Create Figure (graph window). |
| gcf | Get handle to current figure. |
| clf | Clear current figure. |
| close | Close figure. |

9.7.2 Axis creation and control.

| | |
|---------|--------------------------------------|
| subplot | Create axes in tiled positions. |
| axes | Create axes in arbitrary positions. |
| gca | Get handle to current axes. |
| cla | Clear current axes. |
| axis | Control axis scaling and appearance. |
| caxis | Control pseudocolor axis scaling. |
| hold | Hold current graph. |

Aide Matlab

9.7.3 Handle Graphics objects.

| | |
|-----------|--------------------------------|
| figure | Create figure window. |
| axes | Create axes. |
| line | Create line. |
| text | Create text. |
| patch | Create patch. |
| surface | Create surface. |
| image | Create image. |
| uicontrol | Create user interface control. |
| uimenu | Create user interface menu. |

9.7.4 Handle Graphics operations.

| | |
|---------|--|
| set | Set object properties. |
| get | Get object properties. |
| reset | Reset object properties. |
| delete | Delete object. |
| gco | Get handle to current object. |
| drawnow | Flush pending graphics events. |
| newplot | M-file preamble for NextPlot property. |
| findobj | Find objects with specified property values. |

9.7.5 Hardcopy and storage.

| | |
|----------|------------------------------------|
| print | Print graph or save graph to file. |
| printopt | Configure local printer defaults. |
| orient | Set paper orientation. |
| capture | Screen capture of current figure. |

9.7.6 Movies and animation.

| | |
|----------|--------------------------------|
| moviein | Initialize movie frame memory. |
| getframe | Get movie frame. |
| movie | Play recorded movie frames. |

9.7.7 Miscellaneous.

| | |
|--------------------|---|
| ginput | Graphical input from mouse. |
| ishold | Return hold state. |
| graymon | Set graphics window defaults for gray-scale monitors. |
| rbbox | Rubberband box. |
| rotate | Rotate an object about a specified direction. |
| terminal | Set graphics terminal type. |
| uiputfile | Put up dialog box for saving files. |
| uigetfile | Put up dialog box which queries for file names. |
| whitebg | Set graphics window defaults for white background. |
| zoom | Zoom in and out on a 2-D plot. |
| waitforbuttonpress | Wait for key/buttonpress over figure. |

See also PLOTXY, PLOTXYZ, COLOR.

9.8 TWO DIMENSIONAL GRAPHICS.

9.8.1 Elementary X-Y graphs.

| | |
|----------|---------------------------|
| plot | Linear plot. |
| loglog | Log-log scale plot. |
| semilogx | Semi-log scale plot. |
| semilogy | Semi-log scale plot. |
| fill | Draw filled 2-D polygons. |

9.8.2 Specialized X-Y graphs.

| | |
|--------|-----------------------------------|
| polar | Polar coordinate plot. |
| bar | Bar graph. |
| stem | Discrete sequence or "stem" plot. |
| stairs | Stairstep plot. |

Aide Matlab

| | |
|----------|------------------------|
| errorbar | Error bar plot. |
| hist | Histogram plot. |
| rose | Angle histogram plot. |
| compass | Compass plot. |
| feather | Feather plot. |
| fplot | Plot function. |
| comet | Comet-like trajectory. |

9.8.3 Graph annotation.

| | |
|--------|--------------------------|
| title | Graph title. |
| xlabel | X-axis label. |
| ylabel | Y-axis label. |
| text | Text annotation. |
| gtext | Mouse placement of text. |
| grid | Grid lines. |

See also PLOTXYZ, GRAPHICS.

9.9 THREE DIMENSIONAL GRAPHICS.

9.9.1 Line and area fill commands.

| | |
|--------|--|
| plot3 | Plot lines and points in 3-D space. |
| fill3 | Draw filled 3-D polygons in 3-D space. |
| comet3 | 3-D comet-like trajectories. |

9.9.2 Contour and other 2-D plots of 3-D data.

| | |
|----------|---|
| contour | Contour plot. |
| contour3 | 3-D contour plot. |
| clabel | Contour plot elevation labels. |
| contourc | Contour plot computation (used by contour). |
| pcolor | Pseudocolor (checkerboard) plot. |
| quiver | Quiver plot. |

9.9.3 Surface and mesh plots.

| | |
|-----------|-----------------------------------|
| mesh | 3-D mesh surface. |
| meshc | Combination mesh/contour plot. |
| meshz | 3-D Mesh with zero plane. |
| surf | 3-D shaded surface. |
| surfc | Combination surf/contour plot. |
| surfl | 3-D shaded surface with lighting. |
| waterfall | Waterfall plot. |

9.9.4 Volume visualization.

| | |
|-------|---------------------------------|
| slice | Volumetric visualization plots. |
|-------|---------------------------------|

9.9.5 Graph appearance.

| | |
|----------|------------------------------------|
| view | 3-D graph viewpoint specification. |
| viewmtx | View transformation matrices. |
| hidden | Mesh hidden line removal mode. |
| shading | Color shading mode. |
| axis | Axis scaling and appearance. |
| caxis | Pseudocolor axis scaling. |
| colormap | Color look-up table. |

9.9.6 Graph annotation.

| | |
|--------|-----------------------------|
| title | Graph title. |
| xlabel | X-axis label. |
| ylabel | Y-axis label. |
| zlabel | Z-axis label for 3-D plots. |
| text | Text annotation. |
| gtext | Mouse placement of text. |
| grid | Grid lines. |

Aide Matlab

9.9.7 3-D objects.

| | |
|----------|--------------------|
| cylinder | Generate cylinder. |
| sphere | Generate sphere. |

See also COLOR, PLOTXY, GRAPHICS.

9.10 MATRIX FUNCTIONS NUMERICAL LINEAR ALGEBRA.

9.10.1 Matrix analysis.

| | |
|-------|---|
| cond | Matrix condition number. |
| norm | Matrix or vector norm. |
| rcond | LINPACK reciprocal condition estimator. |
| rank | Number of linearly independent rows or columns. |
| det | Determinant. |
| trace | Sum of diagonal elements. |
| null | Null space. |
| orth | Orthogonalization. |
| rref | Reduced row echelon form. |

9.10.2 Linear equations.

| | |
|----------|--|
| \ and / | Linear equation solution; use "help slash". |
| chol | Cholesky factorization. |
| lu | Factors from Gaussian elimination. |
| inv | Matrix inverse. |
| qr | Orthogonal-triangular decomposition. |
| qrdelete | Delete a column from the QR factorization. |
| qrinsert | Insert a column in the QR factorization. |
| nnls | Non-negative least-squares. |
| pinv | Pseudoinverse. |
| lscov | Least squares in the presence of known covariance. |

9.10.3 Eigenvalues and singular values.

| | |
|---------|--|
| eig | Eigenvalues and eigenvectors. |
| poly | Characteristic polynomial. |
| polyeig | Polynomial eigenvalue problem. |
| hess | Hessenberg form. |
| qz | Generalized eigenvalues. |
| rsf2csf | Real block diagonal form to complex diagonal form. |
| cdf2rdf | Complex diagonal form to real block diagonal form. |
| schur | Schur decomposition. |
| balance | Diagonal scaling to improve eigenvalue accuracy. |
| svd | Singular value decomposition. |

9.10.4 Matrix functions.

| | |
|-------|--|
| expm | Matrix exponential. |
| expm1 | M-file implementation of expm. |
| expm2 | Matrix exponential via Taylor series. |
| expm3 | Matrix exponential via eigenvalues and eigenvectors. |
| logm | Matrix logarithm. |
| sqrtm | Matrix square root. |
| funm | Evaluate general matrix function. |

9.11 POLYNOMIAL AND INTERPOLATION FUNCTIONS.

9.11.1 Polynomials.

| | |
|----------|--|
| roots | Find polynomial roots. |
| poly | Construct polynomial with specified roots. |
| polyval | Evaluate polynomial. |
| polyvalm | Evaluate polynomial with matrix argument. |

Aide Matlab

| | |
|---------|--|
| residue | Partial-fraction expansion (residues). |
| polyfit | Fit polynomial to data. |
| polyder | Differentiate polynomial. |
| conv | Multiply polynomials. |
| deconv | Divide polynomials. |

9.11.2 Data interpolation.

| | |
|----------|---------------------------------------|
| interp1 | 1-D interpolation (1-D table lookup). |
| interp2 | 2-D interpolation (2-D table lookup). |
| interpft | 1-D interpolation using FFT method. |
| griddata | Data gridding. |

9.11.3 Spline interpolation.

| | |
|--------|----------------------------------|
| spline | Cubic spline data interpolation. |
| ppval | Evaluate piecewise polynomial. |

9.12 DATA ANALYSIS AND FOURIER TRANSFORM FUNCTIONS.

9.12.1 Basic operations.

| | |
|---------|---|
| max | Largest component. |
| min | Smallest component. |
| mean | Average or mean value. |
| median | Median value. |
| std | Standard deviation. |
| sort | Sort in ascending order. |
| sum | Sum of elements. |
| prod | Product of elements. |
| cumsum | Cumulative sum of elements. |
| cumprod | Cumulative product of elements. |
| trapz | Numerical integration using trapezoidal method. |

9.12.2 Finite differences.

| | |
|----------|---|
| diff | Difference function and approximate derivative. |
| gradient | Approximate gradient. |
| del2 | Five-point discrete Laplacian. |

9.12.3 Vector operations.

| | |
|-------|-----------------------|
| cross | Vector cross product. |
| dot | Vector dot product. |

9.12.4 Correlation.

| | |
|----------|---------------------------|
| corrcoef | Correlation coefficients. |
| cov | Covariance matrix. |
| subspace | Angle between subspaces. |

9.12.5 Filtering and convolution.

| | |
|---------|--|
| filter | One-dimensional digital filter. |
| filter2 | Two-dimensional digital filter. |
| conv | Convolution and polynomial multiplication. |
| conv2 | Two-dimensional convolution. |
| deconv | Deconvolution and polynomial division. |

9.12.6 Fourier transforms.

| | |
|--------|--|
| fft | Discrete Fourier transform. |
| fft2 | Two-dimensional discrete Fourier transform. |
| ifft | Inverse discrete Fourier transform. |
| ifft2 | Two-dimensional inverse discrete Fourier transform. |
| abs | Magnitude. |
| angle | Phase angle. |
| unwrap | Remove phase angle jumps across 360 degree boundaries. |

Aide Matlab

| | |
|----------|--|
| fftshift | Move zeroth lag to center of spectrum. |
| cplxpair | Sort numbers into complex conjugate pairs. |
| nextpow2 | Next higher power of 2. |

9.13 SOUND PROCESSING FUNCTIONS.

| | |
|------------------------------------|-----------------------------------|
| sound | Convert vector into sound. |
| saxis | Sound axis scaling. |
| Computer-specific sound functions. | |
| auwrite | Write mu-law encoded audio file. |
| auread | Read mu-law encoded audio file. |
| wavwrite | Write MS Windows .WAV audio file. |
| wavread | Read MS Windows .WAV audio file. |
| mu2lin | Mu-law to linear conversion. |
| lin2mu | Linear to mu-law conversion. |

9.14 CHARACTER STRING FUNCTIONS.

9.14.1 General.

| | |
|---------|---|
| strings | About character strings in Matlab. |
| abs | Convert string to numeric values. |
| setstr | Convert numeric values to string. |
| isstr | True for string. |
| blanks | String of blanks. |
| deblank | Remove trailing blanks. |
| str2mat | Form text matrix from individual strings. |
| eval | Execute string with Matlab expression. |

9.14.2 String comparison.

| | |
|----------|-----------------------------------|
| strcmp | Compare strings. |
| findstr | Find one string within another. |
| upper | Convert string to uppercase. |
| lower | Convert string to lowercase. |
| isletter | True for letters of the alphabet. |
| isspace | True for white space characters. |
| strrep | Replace a string with another. |
| strtok | Find a token in a string. |

9.14.3 String to number conversion.

| | |
|---------|--|
| num2str | Convert number to string. |
| int2str | Convert integer to string. |
| str2num | Convert string to number. |
| sprintf | Convert number to string under format control. |
| sscanf | Convert string to number under format control. |

9.14.4 Hexadecimal to number conversion.

| | |
|---------|---|
| hex2num | Convert hex string to IEEE floating point number. |
| hex2dec | Convert hex string to decimal integer. |
| dec2hex | Convert decimal integer to hex string. |

9.15 SPECIALIZED MATH FUNCTIONS.

| | |
|---------|--|
| besselj | Bessel function of the first kind. |
| bessely | Bessel function of the second kind. |
| besseli | Modified Bessel function of the first kind. |
| besselk | Modified Bessel function of the second kind. |
| beta | Beta function. |
| betainc | Incomplete beta function. |
| betaln | Logarithm of beta function. |
| ellipj | Jacobi elliptic functions. |
| ellipke | Complete elliptic integral. |
| erf | Error function. |
| erfc | Complementary error function. |
| erfcx | Scaled complementary error function. |
| erfinv | Inverse error function. |
| expint | Exponential integral function. |

Aide Matlab

| | |
|----------|---------------------------------------|
| gamma | Gamma function. |
| gcd | Greatest common divisor. |
| gammainc | Incomplete gamma function. |
| lcm | Least common multiple. |
| legendre | Associated Legendre function. |
| gammaln | Logarithm of gamma function. |
| log2 | Dissect floating point numbers. |
| pow2 | Scale floating point numbers. |
| rat | Rational approximation. |
| rats | Rational output. |
| cart2sph | Transform from Cartesian to spherical |
| cart2pol | Transform from Cartesian to polar |
| pol2cart | Transform from polar to Cartesian |
| sph2cart | Transform from spherical to Cartesian |

9.16 SPARSE MATRIX FUNCTIONS.

9.16.1 Elementary sparse matrices.

| | |
|-----------|--------------------------------------|
| speye | Sparse identity matrix. |
| sprandn | Sparse random matrix. |
| sprandsym | Sparse symmetric random matrix. |
| spdiags | Sparse matrix formed from diagonals. |

9.16.2 Full to sparse conversion.

| | |
|-----------|---|
| sparse | Create sparse matrix from nonzeros and indices. |
| full | Convert sparse matrix to full matrix. |
| find | Find indices of nonzero entries. |
| spconvert | Convert from sparse matrix external format. |

9.16.3 Working with nonzero entries of sparse matrices.

| | |
|----------|--|
| nnz | Number of nonzero entries. |
| nonzeros | Nonzero entries. |
| nzmax | Amount of storage allocated for nonzero entries. |
| spones | Replace nonzero entries with ones. |
| spalloc | Allocate memory for nonzero entries. |
| issparse | True if matrix is sparse. |
| spfun | Apply function to nonzero entries. |

9.16.4 Visualizing sparse matrices.

| | |
|-------|-----------------------------------|
| spy | Visualize sparsity structure. |
| gplot | Plot graph, as in "graph theory". |

9.16.5 Reordering algorithms.

| | |
|----------|---------------------------------------|
| colmmd | Column minimum degree. |
| symmmd | Symmetric minimum degree. |
| symrcm | Reverse Cuthill-McKee ordering. |
| colperm | Order columns based on nonzero count. |
| randperm | Random permutation vector. |
| dmp perm | Dulmage-Mendelsohn decomposition. |

9.16.6 Norm, condition number, and rank.

| | |
|----------|----------------------------|
| normest | Estimate 2-norm. |
| conde st | Estimate 1-norm condition. |
| sprank | Structural rank. |

9.16.7 Operations on trees.

| | |
|------------|-------------------------------|
| treelayout | Lay out a tree or forest. |
| treeplot | Plot a picture of a tree. |
| etree | Elimination tree of a matrix. |
| etreeplot | Plot the elimination tree. |

Aide Matlab

9.16.8 Micellaneous

| | |
|-----------|--|
| symbfact | Symbolic factorization analysis. |
| spparms | Set parameters for sparse matrix routines. |
| spaugment | Form least squares augmented system. |

9.17 LANGUAGE CONSTRUCTS AND DEBUGGING.

9.17.1 Matlab as a programming language.

| | |
|----------|--|
| script | About Matlab scripts and M-files. |
| function | Add new function. |
| eval | Execute string with Matlab expression. |
| feval | Execute function specified by string. |
| global | Define global variable. |
| nargchk | Validate number of input arguments. |
| lasterr | Last error message. |

9.17.2 Control flow.

| | |
|--------|--|
| if | Conditionally execute statements. |
| else | Used with IF. |
| elseif | Used with IF. |
| end | Terminate the scope of FOR, WHILE and IF statements. |
| for | Repeat statements a specific number of times. |
| while | Repeat statements an indefinite number of times. |
| break | Terminate execution of loop. |
| return | Return to invoking function. |
| error | Display message and abort function. |

9.17.3 Interactive input.

| | |
|-----------|--|
| input | Prompt for user input. |
| keyboard | Invoke keyboard as if it were a Script-file. |
| menu | Generate menu of choices for user input. |
| pause | Wait for user response. |
| uimenu | Create user interface menu. |
| uicontrol | Create user interface control. |

9.17.4 Debugging commands.

| | |
|----------|---------------------------------|
| dbstop | Set breakpoint. |
| dbclear | Remove breakpoint. |
| dbcont | Resume execution. |
| dbdown | Change local workspace context. |
| dbstack | List who called whom. |
| dbstatus | List all breakpoints. |
| dbstep | Execute one or more lines. |
| dbtype | List M-file with line numbers. |
| dbup | Change local workspace context. |
| dbquit | Quit debug mode. |
| mexdebug | Debug MEX-files. |

9.18 COLOR CONTROL AND LIGHTING MODEL FUNCTIONS.

9.18.1 Color controls.

| | |
|----------|---------------------------|
| colormap | Color look-up table. |
| caxis | Pseudocolor axis scaling. |
| shading | Color shading mode. |

9.18.2 Color maps.

| | |
|--------|--|
| hsv | Hue-saturation-value color map. |
| gray | Linear gray-scale color map. |
| hot | Black-red-yellow-white color map. |
| cool | Shades of cyan and magenta color map. |
| bone | Gray-scale with a tinge of blue color map. |
| copper | Linear copper-tone color map. |

Aide Matlab

| | |
|-------|--|
| pink | Pastel shades of pink color map. |
| prism | Prism color map. |
| jet | A variant of HSV. |
| flag | Alternating red, white, blue, and black color map. |

9.18.3 Color map related functions.

| | |
|----------|--|
| colorbar | Display color bar (color scale). |
| hsv2rgb | Hue-saturation-value to red-green-blue conversion. |
| rgb2hsv | Red-green-blue to hue-saturation-value conversion. |
| contrast | Gray scale color map to enhance image contrast. |
| brighten | Brighten or darken color map. |
| spinmap | Spin color map. |
| rgbplot | Plot color map. |

9.18.4 Lighting models.

| | |
|----------|-----------------------------------|
| surfl | 3-D shaded surface with lighting. |
| specular | Specular reflectance. |
| diffuse | Diffuse reflectance. |
| surfnorm | Surface normals. |

9.19 LOW-LEVEL FILE I/O FUNCTIONS.

9.19.1 File opening and closing.

| | |
|--------|-------------|
| fopen | Open file. |
| fclose | Close file. |

9.19.2 Unformatted I/O.

| | |
|--------|-----------------------------|
| fread | Read binary data from file. |
| fwrite | Write binary data to file. |

9.19.3 Formatted I/O.

| | |
|---------|---|
| fscanf | Read formatted data from file. |
| fprintf | Write formatted data to file. |
| fgetl | Read line from file, discard newline character. |
| fgets | Read line from file, keep newline character. |

9.19.4 File positioning.

| | |
|---------|--------------------------------|
| ferror | Inquire file I/O error status. |
| feof | Test for end-of-file. |
| fseek | Set file position indicator. |
| ftell | Get file position indicator. |
| frewind | Rewind file. |

9.19.5 String conversion.

| | |
|---------|-----------------------------------|
| sprintf | Write formatted data to string. |
| sscanf | Read string under format control. |

9.19.6 File Import/Export Routines.

9.19.7 WK1 Format.

| | |
|----------|---|
| wk1const | WK1 record definitions. |
| wk1read | Read WK1 file/range. |
| wk1write | Write out matrix in a WK1 formatted file. |
| wk1wrec | Write a WK1 record HEADER. |

9.19.8 CSV Format.

| | |
|----------|--|
| csvread | Read Comma Separated Value formatted file into a matrix. |
| csvwrite | Write out matrix in a CSV formatted file. |

Aide Matlab

9.19.9 ASCII Delimited Format.

dlmread Read ASCII delimited file into a matrix.
dlmwrite Write out matrix in ASCII delimited file format.

9.20 GENERAL PURPOSE COMMANDS.

9.20.1 Managing commands and functions.

| | |
|---------|--|
| help | On-line documentation. |
| doc | Load hypertext documentation. |
| what | Directory listing of M-, MAT- and MEX-files. |
| type | List M-file. |
| lookfor | Keyword search through the HELP entries. |
| which | Locate functions and files. |
| demo | Run demos. |
| path | Control Matlab's search path. |

9.20.2 Managing variables and the workspace.

| | |
|--------|--|
| who | List current variables. |
| whos | List current variables, long form. |
| load | Retrieve variables from disk. |
| save | Save workspace variables to disk. |
| clear | Clear variables and functions from memory. |
| pack | Consolidate workspace memory. |
| size | Size of matrix. |
| length | Length of vector. |
| disp | Display matrix or text. |

9.20.3 Working with files and the operating system.

| | |
|--------|---|
| cd | Change current working directory. |
| dir | Directory listing. |
| delete | Delete file. |
| getenv | Get environment value. |
| ! | Execute operating system command. |
| unix | Execute operating system command & return result. |
| diary | Save text of Matlab session. |

9.20.4 Controlling the command window.

| | |
|--------|---|
| cedit | Set command line edit/recall facility parameters. |
| clc | Clear command window. |
| home | Send cursor home. |
| format | Set output format. |
| echo | Echo commands inside script files. |
| more | Control paged output in command window. |

9.20.5 Starting and quitting from Matlab.

| | |
|----------|---|
| quit | Terminate Matlab. |
| startup | M-file executed when Matlab is invoked. |
| matlabrc | Master startup M-file. |

9.20.6 General information.

| | |
|-----------|--|
| info | Information about Matlab and The MathWorks, Inc. |
| subscribe | Become subscribing user of Matlab. |
| hostid | Matlab server host identification number. |
| whatsnew | Information about new features not yet documented. |
| ver | Matlab, Simulink, and TOOLBOX version |